



Fabric requirements (1/4 inch seam allowance assumed throughout):



- 1. Spraytime N58 orange: 1/4 yard (9 inches)
- 2. Spraytime Q04 dark cream: 1/4 yard (9 inches)
- 3. Spraytime G05 green: 3/8 yard (13.5 inches)
- 4. Spraytime V57 brown: 3/4 yard (27 inches)
- 5. Spraytime Q03 cream: 1/2 yard (18 inches)

Other requirements:

42 inch x 42 inch fabric backing


Threads for piecing and quilting

Wadding

Block patterns:

The easiest way to cut the fabric for this quilt is to first cut it into 2.5 inch strips - you will need 3 strips of fabric 1 and 2, 5 strips of fabric 3, 10 strips of fabric 4 and 7 strips of fabric 5.

Block 1 - make 18




Block 2 - make 18

- 1. Cut 1 patch fabric 1 2.5 inch x 4.5 inch
- 2. Cut 1 patch fabric 2 2.5 inch x 2.5 inch
- 3. Cut 1 patch fabric 3 2.5 inch x 4.5 inch
- 4. Cut 1 patch fabric 4 2.5 inch x 6.5 inch
- 5. Cut 1 patch fabric 5 2.5 inch x 2.5 inch
- 6. Join patch A to patch B, press seam

7. Join patches C and D to either side of the piece made in step 6, press seams

8. Join patch E to the piece made in step 7, press



- 1. Cut 1 patch fabric 1 2.5 inch x 2.5 inch
- 2. Cut 1 patch fabric 2 2.5 inch x 4.5 inch
- 3. Cut 1 patch fabric 3 2.5 inch x 6.5 inch
- 4. Cut 1 patch fabric 4 2.5 inch x 4.5 inch
- 5. Cut 1 patch fabric 5 2.5 inch x 2.5 inch
- 6. Join patch A to patch B, press seam


7. Join patches C and D to either side of the piece made in step 6, press seams

8. Join patch E to the piece made in step 7, press.

Quilt Construction

1. Join the blocks together in the order shown in the main picture - the easiest way is to join 6 blocks in a row, repeat 6 times, then join the rows together. Blocks 1 and 2 are alternated throughout and rotated to create the weave effect. Be sure that the blocks are orientated correctly before sewing!

Tip: When you press the seams flat on each of the strips, press them in opposite directions on adjacent strips so they butt up against each other - this should make it easier to ensure the squares are sewn accurately - see figure 1.



2. Cut 2 strips 2.5 inches x width of fabric (WOF) of fabric 5. Join 1 strip to the top and one strip to the bottom of the quilt top and trim the ends.

3. Cut 2 strips 2.5 inches x WOF of fabric 5. Join 1 strip to each side of the quilt top and trim the ends to complete the border. The quilt top is now complete!

4. Sandwich the quilt top, wadding and backing together and baste or pin securely. Quilt as desired - this quilt design is a great opportunity to do some long, thin quilting designs to emphasise the weave pattern.

12. Trim the batting and backing to the size of the quilt top. Cut 5 2.5 inch x WOF strips of fabric 4 for the binding, join together and bind the quilt. The quilt is now complete - if you have any questions or queries please don't hesitate to contact us at Pelenna Patchworks!